



KAOHSIUNG APP 124.7 125.7	KAOHSIUNG TWR 118.7 120.7	ATIS 127.8	VAR 3° W ↑ MSA SK 25NM RCDC	
Apt Elev: 31'	Rwy09 THR Elev: 20'	Trans Level: FL130		Trans Alt: 11,000'
BEARINGS ARE MAGNETIC; DISTANCES ARE NAUTICAL MILES; ELEVATIONS, HEIGHTS IN FEET				




5DME	4DME	3DME	2DME	1DME	DIST to IKHG
1610	1290	980	660	340	ADVISORY ALT



MISSED APCH:
CLIMB VIA SK 095BRG UNTIL LEAVING 600' AND PASSING IKHG 1.5D, THEN TURN RIGHT HEADING 230, COMPLETING THE TURN WITHIN 7D FROM IKHG, TO INTERCEPT SK 199BRG AT OR BELOW 3000, PROCEED TO OASIS, MAINTAIN 7000 AND HOLD.



MINIMA (OCA IN FT, VIS IN M, OCH IN FT)										
CATEGORY		A	B	C	D	CIRCLING NOT AUTHORIZED NORTH OF RWY. *DME REQUIRED.				
ILS	FULL	230/800 RVR550	210	240/800 RVR550	220		250/800 RVR550	230	260/800 RVR550	240
	TDZ/CL LGT OUT	230/800 RVR750	210	240/800 RVR750	220		250/800 RVR750	230	260/800 RVR750	240
	ALS OUT	230/1200 RVR1200	210	240/1200 RVR1200	220		250/1200 RVR1200	230	260/1200 RVR1200	240
LOC (GP INOP)	FULL	500/800 RVR750	480	500/800 RVR750	480		500/1500 RVR1500	480	500/1500 RVR1500	480
	ALS OUT	500/1600	480	500/1600	480		500/2200	480	500/2200	480
CIRCLING		630/1900	599	770/2800	739	910/3700	879	910/4600	879	

REV: CHG TNN & HCN VORTAC TO VORDME




VAR 3° W


BEARINGS A 1



KAOHSIUNG APP 124.7 125.7	KAOHSIUNG TWR 118.7 120.7	ATIS 127.8	VAR 3° W	12100'
Apt Elev: 31'	Rwy09 DTHR Elev: 20'	Trans Level: FL130		
BEARINGS ARE MAGNETIC; DISTANCES ARE NAUTICAL MILES; ELEVATIONS, HEIGHTS IN FEET				



5NM	4NM	3NM	2NM	DIST to THR09
1700	1374	1048	722	ADVISORY ALT



MINIMA (OCA IN FT, VIS IN M, OCH IN FT)				
CATEGORY	A	B	C	D
LNAV /VNAV	STRAIGHT IN	580/1800	560	
	ALS OUT	580/2500	560	
LNAV	STRAIGHT IN	580/1800	560	
	ALS OUT	580/2500	560	

1. CIRCLING NOT AUTHORIZED.
 2. Baro-VNAV NA BELOW 0°C.
 3. DME/DME NOT AUTHORIZED.

REV: RE-CHART